







# aboutUS

In an industry where some sellers focus on innovation, the other few choose to concentrate on variety, CREANZA has adopted a holistic strategy of encompassing all the attributes of the product. CREANZA epitomizes consumer-first approach with an enduring combination of innovation, unique variety and quality.

Since its inception in 2011, CREANZA tiles, based at Morbi in Gujarat, is one of the pioneer and dominant manufacturers cum exporters of premium glazed vitrified tiles. CREANZA has state-of-the-art manufacturing facility with latest technology machinery imported from Italy, Spain and China. At CREANZA, we believe in providing superior quality and services, further strengthening our relationship with consumers.

In tandem with an increasing demand of vitrified tiles, we have an installed capacity of 55,000 sq.m./day of GVT, PGVT, WALL TILES and Double Charge tiles spread across a humongous 65 acres land. We have collaborated with the largest Italian conglomerate, Sacmi for its press technology and installed System digital printing machine, which helps us yield innovative tiles with stunning designs and excellent quality. We constantly emphasize on new product development catering the dynamic and unique taste of our consumers.

### 20+ Years of experience in ceramic industry

## 25m

Sq. mtrs. production per year

The structure, technology and the entire setup at CREANZA is in sync with the contemporary times. Innovation, progress, commitment and perfection are the four fundamental pillars of the company. Core values of the CREANZA team is a combination of intelligence, skills, knowledge and dedication. The people working at CREANZA love to invent and reinvent while exploring new concepts with the help of our state-of-the-art technology and a positive attitude.

The unmatched technical brilliance of our manufacturing units and genuine efforts of the man power has led us to the path of growth and progress. Marching ahead on the bright path of achievement we are bringing a new thought process for the best results. Ideas for the future!











# An exceptional collection

The 600x600mm tiles give a charming look to a space with their compact size and seamless appeal. They offer infinite design possibilities with their incredible and attractive style.









High Strength



Random Designs





<0.08% water absorption




Eco Friendly



Chemical Resistant

### CREANZA.IN







# 600x 600mm

Redefine opulence in your space with tiles enwrapped with a superior glossy finish on surface. The finish captivates allure and gives an edgy & fine appeal.



Glossy Finish

600x600mm








Strength

Maintenance Eco Free Friendly





Prime Amaze Statuario Faces : 6



Prime Sinox Statuario Faces : 4



Prime Dover White Faces : 12



Prime Riviera Onyx Grey Faces : 6



Prime Riviera Onyx Green Faces : 6



Prime Riviera Onyx Blue Faces : 6



Prime Glacier Marble Faces : 10



Prime Trandy White Faces : 10





Endless Series Glossy Finish

600x600mm







Strength

Maintenance Eco Free Friendly Chemical Resistant

X



Prime Newton Beige Endless : 4



Prime Newton Bianco Endless : 4



Prime Newton Grey Endless : 4



Prime Nordice Crema Endless : 6



Prime Nordice Pink Endless : 8



Prime Nordice Aqua Endless : 8



Prime Nordice White Endless : 8



Prime Nordice Grey Endless : 8



Prime Nordice Blue Endless : 8





Endless Series Glossy Finish

600x600mm







Strength

Maintenance Friendly Free

Eco

Chemical Resistant

X



Prime Tropaz Ivory Endless : 5



Prime Tropaz White Endless : 5



Prime Eliza Bianco Endless : 8



Prime Sepia Beige Endless : 8



Prime Magnetic White Endless : 10



Prime Magnetic Pink Endless : 10




Prime Sepia Grey Endless : 8



Prime Dover Onyx Natural Endless : 8



Prime Dover Onyx Sky Endless : 8











3D Series Glossy Finish

600x600mm







Eco Friendly Maintenance Free

Ð

Chemical Resistant

X











Prime 3D 118



Prime 3D 121




Prime 3D 122 Faces : 4



Prime 3D 124



Prime 3D 125



Prime 3D 127



Prime 3D 128





Book Match Series Glossy Finish

600x600mm







Eco Friendly Maintenance Free

X Chemical Resistant



Prime Resin Gold Book Match



Prime River Green Book Match





Book Match Series Glossy Finish

\_\_\_\_\_

600x600mm







ce Eco Friendly Chemical Resistant

 $(\mathbf{x})$ 



Prime Breccia Aurora Book Match





Prime Argenta Onyx Book Match





# RUSTIC FINISH







# 600x 600mm

Unfold magnificence with tiles designed with rustic charm and unmatched elegance. The finish adds earthy essence, allowing spaces to stand the tests of time & trend.



Rustic Finish

# 600x600mm





Strength

Eco Friendly





Prime Luxestone Beige Faces:4



Prime Luxestone Copper Faces : 4



Prime Luxestone Smoke Faces:4



Royal Malanga Grey Faces : 8



Royal Malanga Brown Faces : 8




Prime Luxestone Slate Faces:4



Royal Cruse Grey Faces:8



Royal Cruse Brown Faces : 8





Prime Luxestone Bianco Faces : 4







Prime Luxestone Gris Faces : 4

Moroccon Series Rustic With Glossy Ink Finish

600x600mm





Maintenance Eco Free Friendly Chemical Resistant

 $(\mathbf{x})$ 



Prime Mo Coaster Beige Faces : 3



Prime Mo Coaster Blue Faces : 3













# 600x 600mm

Unravel a unique masterpiece attributed with the granular texture. The sugar finish of the tiles elevates space to a new level of excellence, imparting a timeless look.



Sugar <sub>Finish</sub>

600x600mm







Strength

Eco Friendly







Prime Amaze Statuario Faces : 6




Prime Natural Crystal Faces : 8




Prime Mozila Azul Faces : 10




Prime Terraform Bianco




Prime Terraform Crema



Prime Terraform Brown



Prime Terraform Grey





Sugar <sub>Finish</sub>

600x600mm







Maintenance Eco Free Friendly

Ð

Chemical Resistant

X



Prime Calca Wood Beige



Prime Corsica Natural Faces : 4



Prime 3D 116 Faces : 2



Prime 3D 122 Faces : 4



Prime 3D 130





### Technical Specification of GVT-PGVT

CHARACTERISTIC	International Standards Group B1a- ISO 13006 Annx. G.	MEAN VALUE OF CREANZA GVT-PGVT	TEST METHOD
Deviation In Length & Width	± 0.30%	± 0.10%	ISO-10545-2
Deviation In Thickness	± 5.00%	± 4.00%	ISO-10545-2
Straightness Of Sides	± 0.30%	± 0.10%	ISO-10545-2
Rectangularity	± 0.30%	± 0.10%	ISO-10545-2
Surface Flatness	± 0.40%	± 0.15%	ISO-10545-2
Surface Quality	Min. 95% of tiles wil be free from visible defect	Min. 95% of tiles wil be free from visible defect	ISO-10545-2
Water Absorption	 Avg. ≤ 0.50%, Individual 0.6% Max	≤ 0.08%	ISO-10545-3
Modulus of Rupture (N/mm²)	Avg. 35, Individual 32 Min.	Min. 38	ISO-10545-4
Breaking Strength	Min. 1300 N	Min. 1500 N	ISO-10545-4
Surface Abrasion Resistance	Report abrasion class	> Class II	ISO-10545-7
Coefficient of Linear Thermal Expansion from ambient temp to 100°C (K <sup>-1</sup> )	Test method available	< 6 x 10 <sup>-6</sup> Max.	ISO-10545-8
Thermal Shock Resistance	Test method available	10 Cycles Passes Min.	ISO-10545-9
Crazing Resistance	Required	4 Cycle Passed	ISO-10545-11
Resistance to Stain	Resistant	Resistant	ISO-10545-14
Moisture Expansion in mm/m	Test Method available	< 0.02	ISO-10545-10
Chemical Resistance	Resistant	Resistant	ISO-10545-13
Bulk Density	> 2.0	> 2.0	ISO-10545-3

### Packing Detail

Products	Size	Pcs. / Box	Area / Box
	600x600mm	4 pcs.	1.44 sq. mtr.


Note: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.




### **DESIGN, PATTERN & SHADE VARIATION GUIDE**

Current development efforts have made ceramic tiles to resemble and look authentically identical to natural materials (stone, wood, fabric), and it has become increasingly difficult in many cases, to distinguish between the two.

Recognising this situation, it is necessary to be informed on the grade of Design & Pattern variation that is expected form these products. As a general reference the Design & Pattern guide below classifies a scale of ranges according to the degree of the variation.






V1 Uniform Appearance


V2 Slight Variation

#### High Definition Image

While laying the tiles please follow the arrow mark on the back of the tiles. For removing the wax from the surface of the tiles please use a soft cotton cloth for rubbing white boric/talc powder.



V3 Moderate Variation



V4 Substantial Variation



#### **COMMANDER VITRIFIED PVT. LTD.** 8-A N.H., At. Sartanpar, Ta. Wankaner - 363 621,

Ta. Wankaner - 363 621, Dist. Morbi, Gujarat, INDIA

**DELHI DISPLAY CENTRE :** A-131, Ground Floor, Sector-63, Noida - 201 301, Delhi, INDIA Cell : +91 95123 90035 Tele:: +91 120 4273335

#### KOLKATA DISPLAY CENTRE : 109/1, Beliaghata Main Road, Opp. IDBG Hospital Main Gate, Kolkata - 700 010, West Bengal, INDIA

Cell:+91 95123 20048

**BANGALORE DISPLAY CENTRE :** 2nd Floor, Chhabria Square, 126, KH Road, Bangalore - 560 027, Karnataka, INDIA

Cell: +91 95123 90034

**MUMBAI DISPLAY CENTRE :** 1/12 Turakhia Park, M G Road, Opp. Swimming Pool, Near Corporation Bank, Kandivali(West), Mumbai - 400 067, Maharashtra, INDIA

Cell: +91 95123 90030

info@creanza.in +91 95123 20066

CREANZA.IN

For Sales Enquiry :

#### WEST ZONE MH / GOA

EXPORT

GUJARAT MP / CG	+91 95123 20056 +91 95123 20030
RAJASTHAN	+91 95123 20034
SOUTH ZONE	
KARNATAKA / TN	+91 95123 90034
KERALA	+91 95123 20057
TELANGANA / AP	+91 95123 20042
NORTH ZONE DELHI / HARYANA /	
PUNJAB / HP / J&K	+91 95123 90035
UP / UK	+91 95123 20035
EAST ZONE	+91 95123 20048

+91 95123 90030

+91 99251 41768 +91 95123 20044 SBA (11/23)